

Tavná lepidla KLEIBERIT

- pre olepovanie hrán

Typ	Báza	Viskozita		Bod mäknutia (°C)	Tepelná odolnosť (°C)	Nanášacia teplota (°C)	Rýchlosť posuvu (m/min)	Forma dodania	Balenie (kg)	Dostupné farby
		°C	mPas							
707.6	PUR	140 160	60.000 ± 15.000 35.000 ± 10.000	65	-30 do +150	120 - 150	8 - 40	blok	400 g, 2 kg, 18 kg	natur, biela
707.9	PUR	120 140	160.000 ± 50.000 80.000 ± 20.000	65	-30 do +150	120 - 160	8 - 40	blok	HH, 2 kg, 18 kg	natur, biela
735.0	PO	200 220	100.000 ± 20.000 55.000 ± 10.000	105	-30 do +90	200 - 240	8 - 25	granulát	25	natur, biela
753.5	EVA	180 200	110.000 ± 20.000 65.000 ± 15.000	160	-30 do +120	190 - 210	20 - 50	granulát	20	transparent nažltlá
773.3	EVA	180 200	80.000 ± 15.000 50.000 ± 10.000	105	-30 do +100	170 - 200	10 - 30	granulát	20	transparent
773.8	EVA	180 200	180.000 ± 25.000 100.000 ± 20.000	100	-30 do +100	180 - 200	10 - 50	granulát patrona HH	20 45 ks	transparent
774.4	EVA	200 220	65.000 ± 10.000 55.000 ± 10.000	105	-30 do +110	200 - 210	18 - 60	granulát	25	biela, natur, hnedá, čierna
779.6	EVA	180 200	130.000 ± 20.000 80.000 ± 15.000	105	-30 do +120	200 - 210	18 - 50	granulát patrona HH	25 45 ks	biela, natur, hnedá, čierna
782.0	EVA	180 200	110.000 ± 20.000 65.000 ± 15.000	120	-30 do +110	200 - 220	8 - 20	granulát patrona HH	25 45 ks	biela, natur, hnedá, čierna
782.5	EVA	200	36.000 ± 5.000	100	-30 do +100	200 - 220	8 - 35	granulát patrona HH	25 45 ks	transparent
788.3	EVA	130 150	135.000 ± 20.000 70.000 ± 10.000	85	-30 do +90	130 - 160	5 - 18	granulát	25	biela, natur, čierna
788.7	EVA	160 180	120.000 ± 20.000 60.000 ± 15.000	90	-30 do +100	160 - 200	5 - 18	granulát	25	biela, natur, hnedá